

Skid Steer Loader----ZJ45



Specifications	Rated operating capacity(kg)	700
	Tipping load(kg)	1400
	Bucket capacity(m3)	0.4
	Operationg weight(kg)	3000
	Max. travel speed(km/h)	12
	Hydraulic pump flow(L/min)	62.5
	Fuel tank capacity(L)	50
	Tires	10-16.5
	Overall dimensions(mm)	3350×1740×2140
	Height at maximum extension(mm)	3670



Qingdao Zongjin Engineering Machinery Co.,Ltd.

ADD: NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

E-mail:sunny@chinawheelloaders.com

Tel:0086-532-66739792

Fax:0086-532-66739791

Dimensions	Height to bucket hinge pin(mm)	2900
	Width with bucket(mm)	1740
	Track width(mm)	1450
	Wheelbase(mm)	991
	Ground clearance(mm)	185
	Dump angle	40°
	Dumping height(mm)	2310
	Maximum reach(mm)	710
	Engine	Maker/Model
Net power		50hp/2650rpm
Type		4 Cylinder in-line, Water cooled, 4 stroke,Diesel engine
Displacement(L)		2.54
Standard		Open-type operator cab
		Hand control system(Mechanical type)
		Standard bucket
		Auxiliary hydraulic couplers
Optional		Enclosed operator cab with A/C
		Cab fitted with a heater
		Hydraulic joystick controls
Attachments		Backhoe,Breaker,Angle blade,Auger,Sweeper,Pallet fork,Combination bucket,Mower,Asphalt cutter,and More

Qingdao Zongjin Engineering Machinery Co.,Ltd.



ADD: NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

Tel:0086-532-66739792

E-mail:sunny@chinawheelloaders.com

Fax:0086-532-66739791



Qingdao Zongjin Engineering Machinery Co.,Ltd.

ADD: NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

Tel:0086-532-66739792



E-mail:sunny@chinawheelloaders.com

Fax:0086-532-66739791

Skid steer loader Attachment

		
Utility fork	Snow Blower	Auger
		
Sweeper	Snow blade	Rock bucket
		
Disk type trencher	Backhoe	Dozer blade
		
4 in 1 bucket	Scraper	Mixer

		
Planer	Angle Broom	Grapple bucket
		
Grass cutter	Trencher	Backhoe
		
Breaker	Tree spade	Bale handler
		
Vibratory roller	Fork grapple	Pallet fork